



M-PEDE®

INSECTICIDE/MITTICIDE/FUNGICIDE



DETER DEER FROM FEEDING ON ALL LABELED CROPS

KEY BENEFITS

- Broad label for use on most crops
- 0-day PHI
- OMRI listed for use in organic production
- Exempt from key country import tolerances
- Excellent for use as a tank mix or rotational partner in IPM spray programs
- Excellent tank mix enhancer/adjuvant

CROP	PEST	RATE	COMMENTS
All Labeled Crops	Deer	2% v/v solution of this product	Apply M-Pede in a minimum of 10 gpa.



APPLICATION PARAMETERS

- Complete coverage is essential for maximum control
- Mix labeled rate of M-Pede as a total percent of final spray volume
- May be sprayed with most types of ground or aerial equipment
- Apply pre-emergence and/or post-emergence to labeled crops, including soybeans.
- The addition of an adjuvant that prevents wash-off may improve longevity of repellency when applied as a post emergence treatment.
- Applications with other pesticides, foliar fertilizers and such should be jar tested before application to insure compatibility. Not all tank mixes have been tested for crop safety.
- Do not apply in temperatures above 85 degrees.
- Do not make more than three consecutive applications per season.
- Reapply every 7 – 14 days.

RESTRICTIONS

- Wait at least 7 days between applications of M-Pede
- Do not tank mix M-Pede with sulfur or spray M-Pede within 3 days of a sulfur application



CHRIS KROPF • 616.581.1991

M-Pede® is a registered trademark of Gowan Company, L.L.C. EPA REG. NO. 10163-324
FOR USE ONLY WITHIN THE STATES OF AL, AR, AZ, CA, CT, DE, FL, GA, IA, IL, IN, KS, KY, LA, MA, MD,
ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NV, OH, OK, PA, RI, SC, SD, TN, VA, VT, WI, and WV.
Expiration Date: 12-31-2029. Always read and follow label directions.

Gowan
USA
GOWANCO.COM